



- NOTES:**
1. EROSION CONTROL DEVICES ARE TO BE PLACED PRIOR TO CONSTRUCTION AND ARE TO REMAIN IN PLACE UNTIL ALL CONSTRUCTION IS COMPLETED AND NEW SLOPES HAVE BEEN STABILIZED.
 2. EROSION CONTROL DEVICES SHALL BE PLACED IN A ROW AND EMBEDDED IN THE SOIL A MINIMUM 6".
 3. SILTATION FENCES SHALL BE SECURITY ANCHORED IN PLACE BY STAKES.

SILT FENCE
EROSION CONTROL MEASURES
(NOT TO SCALE)

3/10/2020
JOSEPH E. WEBBY III
No. 48134
Professional Engineer Seal

TABLE OF IMPERVIOUS SURFACE AREA	
PRE CONSTRUCTION	POST CONSTRUCTION
DWELLING 605 S.F.	DWELLING 753 S.F.
GARAGE 231	GAR. 231
BRICK PATIO 112	REMOVE (112)
PAVER PATIO 118	100 REMOVE (18)
ASPHALT DRIVEWAY 538	528 REMOVE (10 S.F.)
TOTAL: 1,604 S.F.	TOTAL: 1,612 S.F.
	NET INCREASE=8 S.F.

PLAN OF LAND
IN
COHASSET, MASS.

PREPARED FOR
JOHN CANNEY & BARBARA HEDGES
SCALE: 1"=10' MARCH 10, 2020
WEBBY ENGINEERING ASSOCIATES, INC.
ENGINEERS & LAND SURVEYORS
180 COUNTY ROAD - PLYMPTON, MA.
02367 TEL. 1-781-585-1164

DRAWN BY:

W-